



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

FOREIGN STATISTICAL REPORTS.

AFRICA—*Lorenzo Marques*.—Month of September, 1899. Estimated population 5,000. Total number of deaths, 18, including 1 from phthisis pulmonalis.

ARABIA—*Aden*.—Month of September, 1899. Estimated population 41,346. Total number of deaths, 96. No contagious diseases reported.

ARGENTINA—*Buenos Ayres*.—Month of September, 1899. Estimated population, 800,000. Total number of deaths, 1,188, including diphtheria, 20; measles, 8; scarlet fever, 9; typhus fever, 3, and 1 from smallpox.

AUSTRALIA—*New South Wales—Sydney*.—Month of September, 1899. Estimated population, 426,950. Total number of deaths, 374, including diphtheria, 1; enteric fever, 3, and 40 from phthisis pulmonalis.

BAHAMAS—*Dunmore Town*.—Four weeks ended November 10, 1899. Estimated population, 1,472. Number of deaths, 1. No contagious diseases.

Governors Harbor.—Four weeks ended November 11, 1899. Estimated population, 1,500. Total number of deaths, 1. No contagious diseases reported.

Green Turtle Cay—Abaco.—Two weeks ended November 4, 1899. Estimated population, 3,900. Number of deaths not reported. No contagious diseases reported.

Nassau.—Two weeks ended November 11, 1899. Estimated population, 12,000. Number of deaths not reported. No contagious diseases reported.

BRITISH HONDURAS—*Belize*.—Month of September, 1899. Estimated population, 30,000. Total number of deaths, 103, including leprosy 1 and 3 from phthisis pulmonalis.

DOMINICAN REPUBLIC—*Puerto Plata*.—Six weeks ended November 11, 1899. Estimated population, 5,500. Number of deaths not reported. No contagious diseases reported.

FRANCE—*Roubaix*.—Month of October, 1899. Estimated population, 126,970. Total number of deaths, 156, including diphtheria, 1; enteric fever, 1; measles, 2; scarlet fever, 1, and 3 from whooping cough.

St. Etienne.—Two weeks ended October 31, 1899. Estimated population, 135,784. Total number of deaths, 123, including diphtheria, 2; enteric fever, 5; scarlet fever, 2, and 16 from phthisis pulmonalis.

GERMANY—*Dresden*.—Month of September, 1899. Estimated population, 397,300. Total number of deaths, 651, including diphtheria, 4; enteric fever, 5; measles, 5; scarlet fever, 1; whooping cough, 17, and 56 from phthisis pulmonalis.

GREAT BRITAIN—*England and Wales*.—The deaths registered in 33 great towns in England and Wales during the week ended November 11, 1899, correspond to an annual rate of 18.0 a thousand of the aggregate

population, which is estimated at 11,404,408. The highest rate was recorded in Liverpool, viz, 25.1, and the lowest in Croydon, viz, 10.2.

London.—One thousand five hundred and six deaths were registered during the week, including measles, 42; scarlet fever, 14; diphtheria, 68; whooping cough, 11; enteric fever, 51, and diarrhea and dysentery, 13. The deaths from all causes correspond to an annual rate of 17.3 a thousand. In Greater London 1,978 deaths were registered, corresponding to an annual rate of 15.8 a thousand of the population. In the "outer ring" the deaths included 18 from diphtheria, 5 from measles, 3 from scarlet fever, and 2 from whooping cough.

Ireland.—The average annual death rate represented by the deaths registered during the week ended November 11, 1899, in the 22 principal town districts of Ireland was 23.9 a thousand of the population, which is estimated at 1,053,188. The lowest rate was recorded in Galway, viz, 3.8, and the highest in Dublin, viz, 35.5 a thousand. In Dublin and suburbs 249 deaths were registered, including diphtheria, 3; enteric fever, 5; scarlet fever, 1, and 1 from whooping cough.

Scotland.—The deaths registered in 8 principal towns during the week ended November 11, 1899, correspond to an annual rate of 17.0 a thousand of the population, which is estimated at 1,587,414. The lowest mortality was recorded in Paisley, viz, 12.2, and the highest in Greenock, viz, 20.5 a thousand. The aggregate number of deaths registered from all causes was 520, including diphtheria, 5; measles, 8; scarlet fever, 3, and whooping cough, 3.

JAMAICA—Kingston.—Month of October, 1899. Estimated population, 34,314. Total number of deaths, 87, including diphtheria, 1; enteric fever, 6; measles, 2, and 11 from phthisis pulmonalis.

Port Antonio.—Two weeks ended November 4, 1899. Estimated population not reported. No deaths reported. The health of the port is good.

JAPAN—Formosa—Tamsui.—Month of September, 1899. Estimated population, 2,797,543. Number of deaths not reported. Twelve deaths from dysentery, 1 from enteric fever, and 5 from plague.

Nagasaki.—Ten days ended October 20, 1899. Estimated population, 131,000. Number of deaths not reported. One death from enteric fever.

MALTA.—Two weeks ended October 15, 1899. Estimated population, 180,328. Total number of deaths, 183, including enteric fever, 2, and 2 from whooping cough.

RUSSIA—East Siberia—Vladivostock.—Month of June, 1899. Estimated population, 30,000. Total number of deaths, 18, including diphtheria, 1; enteric fever, 1, and 7 from typhus fever.

Month of July, 1899. Total number of deaths, 15, including diphtheria, 1, and 6 from measles.

Month of August, 1899. No deaths. No contagious diseases reported.

TURKEY—Beirut.—Month of August, 1899. Estimated population, 85,000. Total number of deaths, 31, including typhus fever, 2, and 3 from phthisis pulmonalis.

MORTALITY TABLE, FOREIGN CITIES.

Cities.	Week ended.	Estimated population.	Total deaths from all causes.	Deaths from—											
				Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Enteric fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping cough.	
Acapulco.....	Nov. 11	6,000	6												
Aix la Chapelle.....	do.	132,780	44												
Alexandretta.....	Nov. 4	7,500	4												
Amherstburg.....	Nov. 18	2,300	1												
Do.....	Nov. 25	2,300	0								1				
Amsterdam.....	Nov. 11	520,480	125									1	1		1
Antwerp.....	Nov. 4	287,462	89					2		1	1	1	1		1
Asuncion.....	Sept. 22	45,000	39		3										
Bahia.....	Oct. 21	200,000					1								
Barmen.....	Nov. 4	137,000	42										4		
Baranquilla.....	Oct. 28	40,000	21	2			1								
Belize.....	Nov. 16	13,000	5												
Belleville.....	Nov. 13	10,442	3												
Do.....	Nov. 20	10,442	5												
Bergen.....	Nov. 8	57,000	19												
Birmingham.....	Nov. 11	514,956	189							2	1	4	4		3
Bluefields.....	do.	3,081	2												
Bombay.....	Oct. 24	821,764	776	83	1		7						7		
Bradford.....	Nov. 11	231,260	76							2			5		1
Bremen.....	Nov. 4	145,000	46												
Breslau.....	do.	300,000	169							1	1	3			3
Bristol.....	do.	320,911	145							1	1	2	2		1
Do.....	Nov. 11	320,911	154							2	1		2		1
Brussels.....	Nov. 4	551,611	179							5	1				
Budapest.....	Oct. 22	640,000							3		9	4	1		1
Do.....	Oct. 29	640,000							4		9	3	4		
Do.....	Nov. 5	640,000							3		13	3			
Cairo.....	Oct. 21	570,062	319												
Callao.....	Oct. 29	25,000	31	9											
Cartagena.....	Nov. 4	25,000	12												
Catania.....	Nov. 9	124,000	68	1					1						
Chemnitz.....	Nov. 4	172,840	110												
Chihuahua.....	Nov. 18	24,000	21					9							
Christiania.....	Nov. 4	225,000	74											1	
Do.....	Nov. 11	225,000	45											2	
Coburg.....	Nov. 4	19,897	13											1	
Cologne.....	do.	359,950	132										1	3	2
Colombo.....	Nov. 14	130,000	80												
Do.....	Nov. 21	130,000	66							1					
Colon.....	Nov. 15	8,000	4												
Constantinople.....	Nov. 6	875,000	218												
Copenhagen.....	Nov. 4	351,000	106							1	2	1			2
Crefeld.....	Nov. 11	108,183	19												
Dresden.....	Oct. 21	398,300	136											6	2
Do.....	Oct. 28	378,300	131											1	1
Dublin.....	Nov. 11	349,594	249							5	1	3	39		1
Dundee.....	do.	166,072	48							2					1
Dusseldorf.....	Nov. 4	202,405	68						1						
Edinburgh.....	Nov. 11	298,927	99							2	1	1			
Flushing.....	do.	18,371	3												
Frankfort.....	Nov. 4	255,000	67											2	1
Funchal.....	Nov. 5	36,982	20												
Do.....	Nov. 12	36,982	13												
Geneva.....	Oct. 28	95,348	20												